

ECOLOGO® and UL Multi-Attribute Certification Mark Guidelines July 2021



UL Certification Marks

Our mission of working for a safer world since 1894 has led us to be the most influential presence in home safety. After more than 100 years of being the leading voice, the UL portfolio of services is expanding to include other services, such as ECOLOGO Certification, and leveraging the power of those two brands in a single Mark. The following pages provide guidance on how to use the ECOLOGO Certification and UL multi-attribute certification Marks to promote your certification on your products and packaging.




Table of Contents

- 1 Introducing the ECOLOGO and UL multi-attribute certification Marks
- 2 Who can use the Mark?
- 3 General Mark guidelines
- 4 Anatomy and construction of the Mark
- 5-6 Clear space and minimum size
- 7-8 Treatment options
- 9 Program language
- 10-11 Unacceptable usage

UL statistics referenced are from 2010

Who can use the Mark?

The ECOLOGO or UL multi-attribute certification Marks may be used by customers who have entered into an Environmental Services Agreement or General Services Agreement, have attained ECOLOGO or UL multi-attribute certification through UL, and whose product(s), process(es), or packaging are currently certified.

The ECOLOGO or UL multi-attribute certification Marks may be used only in connection with product(s), process(es), or packaging that have achieved ECOLOGO and UL multi-attribute certification, during the period that the product(s), process(es), or packaging is/are certified. The Mark may not be used in an unclear or general manner that suggests or implies certain product(s), process(es), or packaging are certified, when in fact they are not.

Companies that distribute certified products or produce products that feature certified components, but have not signed a UL agreement may not use the Marks and may only use verbiage. For example, "We proudly use [Certified Manufacturer's name] ECOLOGO® Certified paper." Or, "We proudly use [Certified Manufacturer's name] carpet that has received NSF-140 certification.."

Please contact a UL marketing manager for more information.

Sample Mark - ECOLOGO

PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL UL XXXX

ECOLOGO

Sample Mark - CERTIFIED



TIER

General Guidelines

The ECOLOGO or UL multi-attribute certification mark can be used on products, product packaging, and in promotional materials of ONLY certified product(s), process(es), or packaging. To be clear to the marketplace, the Mark should appear ONLY next to certified product(s), process(es), or packaging in your marketing materials. Marks should NOT be used in general locations, such as on company stationery or in vague locations on the website not specific to the certified product.


Encouraged forms of use include, but are not limited to:

- 1. Advertising
- 2. Tradeshow booth and materials
- 3. Marketing collateral
- 4. Company website
- 5. Educational pieces
- 6. Catalogs
- 7. Outside of product package
- 8. On the product
- 9. Product manual or guide

When promoting your ECOLOGO or UL multi-attribute Certification, ensure these main concepts are followed:


- Be Specific and not use misleading words to describe certification.
- Be Accurate by only promoting products that have been certified.
- Be Consistent with language across marketing channels.

Anatomy/Construction



Preferred Multi-attribute certification Mark





The ECOLOGO and UL multi-attribute Mark options display the standard number, the scope of the certification, and include a URL for more information about the certification program.

Color options and specifications:

PANTONE [®] 375	PROCESS BLACK
CMYK:	CMYK:
47/0/94/0	0/0/0/50
RGB:	RGB:
143/212/0	0/0/0
HEX:	HEX:
8FD400	000000

Clear Space and Minimum Size - Preferred

Minimum Clear Space Requirements



Minimum Size



When placing the ECOLOGO and UL multi-attribute certification Marks on product packaging and marketing materials, it is important to balance maximizing size with maintaining adequate clear space around the Mark.

The minimum clear space requirements shown to the left should be observed in all situations. More clear space is preferred whenever possible, especially in situations when the UL Marks are placed near third-party marks.

To ensure visibility and legibility on print applications, the Mark should never be presented in a size smaller than 20.32 mm wide.

Clear Space and Minimum Size - Alternate

Minimum Mark and Font Sizes

0

PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL

IMPACT, VIEW SPECIFIC

PRODUCT CERTIFIED FOR REDUCED

FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL UL XXXX

UL.COM/EL

ATTRIBUTES EVALUATED

TheSans 4 pt

Arial 3.5 pt


12.7 mm

wide

Minimum Clear Space Requirements



Suggested Marks and Qualifying Language Sizes



An alternate version of the Mark is available for space-constrained areas. Customers may use the version of the Mark to the left, which features qualifying language that appears to the right of or below the Mark, not in the Mark itself.

When placing the alternate ECOLOGO or Multi-attribute Mark on a product, product packaging, or marketing materials, it is required to place the claim language, additional info URL and certification standard immediately to the right of or below the Mark, and maintain adequate clear space around the Mark.

Qualifying language is added by the customer. Qualifying language must adhere to the following criteria:

- Qualifying language may only appear in TheSans font or Arial
- Qualifying language must appear to the right of the Mark, or just below the Mark
- The distance between the Mark and the qualifying language must be a distance equivalent to the height of the U
- Criteria language must be left justified in all capital letters
- The overall size of the text should be in proportion to the size of the Mark, and the standard should appear on its own line
- Text may appear in black or green on light backgrounds, or reverse (white) on dark backgrounds

Treatment Options - ECOLOGO

Green ECOLOGO Certification Mark





PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL UL XXXX

Black ECOLOGO Certification Mark





PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL ULXXXX The ECOLOGO certification Marks appear on a wide variety of materials and substrates. The approved treatment options to the left provide the flexibility necessary to accommodate a variety of production requirements.

The Mark should only be used with a solid color behind it and not contain any patterns, gradients, or multiple colors within the outline of the Mark.

Always use the approved electronic artwork provided for each treatment option.

Green ECOLOGO Certification Mark reversed





PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL UL XXXX

Black ECOLOGO Certification Mark reversed





PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL ULXXXX

Treatment Options - Multi-attribute

Green UL Multi-Attribute Certification Mark





PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: ULCOM/MA UL XXXX

Black UL Multi-attribute Certification Mark



The UL multi-attribute certification Marks appear on a wide variety of materials and substrates. The approved treatment options to the left provide the flexibility necessary to accommodate a variety of production requirements.

The Mark should only be used with a solid color behind it and not contain any patterns, gradients, or multiple colors within the outline of the Mark.

Always use the approved electronic artwork provided for each treatment option.

Green UL Multi-Attribute Certification Mark reversed





PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/MA UL XXXX

Black UL Multi-Attribute Certification Mark reversed





PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/MA ULXXX

Approved Program Language

Qualifying Language (must be used with alternate version of the Mark. See page 6 for details.)

English (PRODUCT, PAPER, PACKAGE, OR PROCESS) CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: (UL.COM/MA OR UL.COM/EL) (STANDARD NUMBER) Canadian French (PRODUIT, PAPIER, EMBALLAGE, PROCESSUS) CERTIFIÉ À IMPACT ENVIRONNEMENTAL RÉDUIT. VEUILLEZ CONSULTER LES ATTRIBUTS SPÉCIFIQUES ÉVALUÉS: (UL.COM/MA OR UL.COM/EL) (STANDARD NUMBER)

ECOLOGO Certification Criteria Statement:

ECOLOGO[®] Certified products are certified to ECOLOGO[®] standards for reduced environmental impact. For more information, visit ul.com/el.

For UL multi-attribute certification:

- [Company XYZ] has achieved a UL multi-attribute certification for its [product X].
- Look for the UL multi-attribute certification Mark.

UL Multi-Attribute Certification Criteria Statement:

UL multi-attribute certification indicates that product(s), process(es), or packaging are certified to a UL standard, and meet stringent, lifecycle based environmental standards for reduced environmental impact. For more information, visit ul.com/ma.

ECOLOGO and UL multi-attribute certifications may also be referenced in writing. Please use the applicable examples to the left to ensure consistent messaging in the marketplace.

Companies may want to provide further information about their certifications on the product or promotional materials. To the left you will find a criteria statement you may use on the product, packaging or other marketing materials.

These guidelines are not intended to provide or be interpreted as legal advice. Please consult with your own legal counsel on whether your environmental marketing claims comply with the FTC Green Guides. UL does not represent or warrant that the ECOLOGO and UL multi-attribute certification Marks comply with the FTC Green Guides, and in no event shall UL or its affiliated entities be liable in connection therewith.

Unacceptable Usage




To the left are examples of unacceptable usage of the UL Mark. Only use approved artwork; it is unacceptable to alter the artwork in any way or method.

the left of the Mark

Unacceptable Usage

language above the Mark



for the qualifying statement

To the left are examples of unacceptable usage of the UL Mark. Only use approved artwork; it is unacceptable to alter the artwork in any way or method.

11

ECOLOGO and UL Multi-Attribute Certification Marks Translated Criteria Statements for use with the Mark

English

Japanese

PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED:

French (FR) PRODUIT CERTIFIÉ POUR

UN IMPACT RÉDUIT SUR L'ENVIRONNEMENT, VOIR LES CARACTÉRISTIQUES SPÉCIFIQUES ÉVALUÉES:

Italian

French (CAN)

ÉVALUÉS:

ESAMINATI:

PRODUIT CERTIFIÉ À IMPACT

ENVIRONNEMENTAL RÉDUIT.

VEUILLEZ CONSULTER LES

ATTRIBUTS SPÉCIFIQUES

PRODOTTO CERTIFICATO A

본 제품은 환경 영향 감소에 대해 인증받았습니다. 평가 속성은 다음과 같습니다.

Simplified Chinese

低環境負荷認定製品。

評価対象特性を表示:

经认证减低环境影响的产 品。查看评估的具体属性:

Portuguese (BR)

Korean

PRODUTO CERTIFICADO PARA IMPACTO AMBIENTAL **REDUZIDO. VISUALIZAR** ATRIBUTOS ESPECÍFICOS AVALIADOS:

German

REDUZIERTE UMWELTBELASTUNG DURCH DAS PRODUKT ZERTIFIZIERT. **BEWERTETE SPEZIFISCHE EIGENSCHAFTEN EINSEHEN:**

Spanish

PRODUCTO CERTIFICADO PARA RIDOTTO IMPATTO AMBIENTALE. UN IMPACTO MEDIOAMBIENTAL VEDERE GLI SPECIFICI ATTRIBUTI REDUCIDO. VER LOS ATRIBUTOS ESPECÍFICOS EVALUADOS:

The translated criteria statements on this page can be used next to the preferred or alternate Mark, or in addition to the Mark. No alternations to the Mark itself may be made and the entire statement must be used. Please adhere to all rules about font size and placement when using translated text.